

T E X A S E D U C A T I O N A G E N C Y
Adequate Yearly Progress Campus Data Table

Final 2009 AYP Results

Campus Name: DAWSON EL (227901114) AUSTIN
Status: Recognized, Meets AYP

2009-10 School Improvement Program Requirement: None

	All Students	African American	Hispanic	White	Econ. Disadv.	Special Education	LEP (Measure)	LEP (Students)
--	-----------------	---------------------	----------	-------	------------------	----------------------	------------------	-------------------

Performance: Reading/ELA (AYP Target: 67%)

AYP Proficiency Rate

2008-09 Assessments

Met Standard	108	*	100	*	94	20	45	n/a
Number Tested	125	*	115	*	108	28	54	49
% Met Standard	86%	71%	87%	*	87%	71%	83%	n/a
Student Group %	100%	*	92%	*	86%	22%	n/a	39%

Performance Improvement/Safe Harbor

2007-08 Assessments

Met Standard	123	*	108	*	109	24	47	n/a
Number Tested	137	*	120	*	122	31	50	47
% Met Standard	90%	86%	90%	90%	89%	77%	94%	n/a

Change in % Met Standard	-4	-15	-3	*	-2	-6	-11	
--------------------------	----	-----	----	---	----	----	-----	--

2008-09 AYP Proficiency Rate including the Texas Projection Measure (TPM)

Met Standard or TPM	115	*	107	*	101	21	49	
Number Tested	125	*	115	*	108	28	54	
% Met Standard or TPM	92%	71%	93%	*	94%	75%	91%	

Special formats ('*', >99%, <1%) are used to protect student confidentiality
n/a indicates that the data are not available or applicable
A dash (-) indicates there were no students in that group

TEXAS EDUCATION AGENCY
Adequate Yearly Progress Campus Data Table

Final 2009 AYP Results

Campus Name: DAWSON EL (227901114) AUSTIN
Status: Recognized, Meets AYP

2009-10 School Improvement Program Requirement: None

	All Students	African American	Hispanic	White	Econ. Disadv.	Special Education	LEP (Measure)	LEP (Students)
--	-----------------	---------------------	----------	-------	------------------	----------------------	------------------	-------------------

Performance: Mathematics (AYP Target: 58%)

AYP Proficiency Rate

2008-09 Assessments

Met Standard	110	*	103	*	94	20	49	n/a
Number Tested	124	*	115	*	107	27	54	49
% Met Standard	89%	83%	90%	*	88%	74%	91%	n/a
Student Group %	100%	*	93%	*	86%	22%	n/a	40%

Performance Improvement/Safe Harbor

2007-08 Assessments

Met Standard	118	*	103	*	103	26	44	n/a
Number Tested	137	*	120	*	122	31	50	47
% Met Standard	86%	71%	86%	>99%	84%	84%	88%	n/a

Change in % Met Standard	3	12	4	*	4	-10	3	
--------------------------	---	----	---	---	---	-----	---	--

2008-09 AYP Proficiency Rate including the Texas Projection Measure (TPM)

Met Standard or TPM	114	*	105	*	98	20	50	
Number Tested	124	*	115	*	107	27	54	
% Met Standard or TPM	92%	>99%	91%	*	92%	74%	93%	

Special formats ('*', >99%, <1%) are used to protect student confidentiality
n/a indicates that the data are not available or applicable
A dash (-) indicates there were no students in that group

TEXAS EDUCATION AGENCY
Adequate Yearly Progress Campus Data Table

Page 3 of 4

Final 2009 AYP Results

Campus Name: DAWSON EL (227901114) AUSTIN
Status: Recognized, Meets AYP

2009-10 School Improvement Program Requirement: None

